

## LED Turning Lamp from CHIVIC INDUSTRIAL

Picture	Name	Model	Product Description
	LED lighting 3156 13SMD Led Turning light	T25-3156- 13SMD-5050- 3chips	1:Type:T25-3156-13SMD-5050-3chips 2:Socket:3156 3:LED quantity: 13PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED lighting 7440 18SMD Led Turning lig	T20-7440- 18SMD-5050- 3chips	1:Type:T20-7440-18SMD-5050-3chips 2:Socket: 7440 3:LED quantity: 18PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED lighting 7440 3W Led Turning light	T20-7440-3W	1:Type: T20-7440-3W 2:Socket: 7440 3:LED quantity:3 PCS 4:LED Specification: 1W High-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED lighting 3156 13Flux Led Turninglight	T25-3156- 13FLUX	1:Type: T25-3156-13FLUX 2:Socket: 3156 3:LED quantity: 13PCS 4:LED Specification: FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED lighting 1157 13SMD Led Turning light	S25-1157- 13SMD-5050- 3chips	1:Type: S25-1157-13SMD-5050-3chips 2:Socket: 1157 3:LED quantity: 13PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.

	<p>LED lighting 1156 39SMD Led Turning light</p>	<p>S25-1156- 39SMD-3528- 1chips</p>	<p>1:Type: S25-1156-39SMD-3528-1chips 2:Socket:BA15S 3:LED quantity:39 PCS 4:LED Specification: 3528 SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED lighting 1156 19LED Led Turning light</p>	<p>S25-1156-19LED</p>	<p>1:Type: S25-1156-19LED 2:Socket: BA15S 3:LED quantity: 19PCS 4:LED Specification: F5 LED 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED lighting 1156 18SMD+1W Led Turning lig</p>	<p>S25-1156- 18SMD+1W</p>	<p>1:Type: S25-1156-18SMD+1W 2:Socket: BA15S 3:LED quantity: 18SMD+1W 4:LED Specification: 5050 SMD ( 3chips )+1W High-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED lighting 1156 4W Led Turning light</p>	<p>S25-1156-4W</p>	<p>1:Type:S25-1156-4W 2:Socket:BA15S 3:LED quantity: 4PCS 4:LED Specification: 1W High-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED lighting 1156 3W Led Turning light</p>	<p>S25-1156-3W</p>	<p>1:Type:S25-1156-3W 2:Socket: BA15S 3:LED quantity: 3PCS 4:LED Specification: 1W High-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>



	<p>LED bulbs G18 18SMD Led Turning light</p>	<p>G18-1156- 18SMD-5050- 3chips</p>	<p>1:Type: G18-1156-18SMD-5050-3chips 2:Socket: G18 3:LED quantity: 18PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 7440 60SMD Led Turning light</p>	<p>T20-7440- 60SMD-3528- 1chips</p>	<p>1:Type: T20-7440-60SMD-3528-1chips 2:Socket: 7440 3:LED quantity: 60PCS 4:LED Specification:3528 SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 7440 36LED Led Turning light</p>	<p>T20-7440-36LED</p>	<p>1:Type:T20-7440-36LED 2:Socket:7440 3:LED quantity: 36PCS 4:LED Specification:F5 LED 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 7440 16SMD Led Turning light</p>	<p>T20-7440- 16SMD-5050- 3chips</p>	<p>1:Type: T20-7440-16SMD-5050-3chips 2:Socket:7440 3:LED quantity: 16PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 7440 13FLUX Led Turning light</p>	<p>T20-7440- 13FLUX</p>	<p>1:Type: T20-7440-13FLUX 2:Socket:7440 3:LED quantity: 13PCS 4:LED Specification: FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>

	LED bulbs 3156 27SMD LED Turning light		
	LED bulbs 3156 18SMD Led Turning light	T25-3156- 18SMD-5050- 3chips	1:Type: T25-3156-18SMD-5050-3chips 2:Socket: 3156 3:LED quantity: 18PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification:Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED bulbs 3156 18Flux Led Turninglight	T25-3156- 18FLUX	1:Type: T25-3156-18FLUX 2:Socket:3156 3:LED quantity: 18PCS 4:LED Specification: FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED bulbs 1156 60SMD Led Turning light	S25-1156- 60SMD-3528- 1chips	1:Type: S25-1156-60SMD-3528-1chips 2:Socket: BA15S 3:LED quantity: 60PCS 4:LED Specification:3528SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.
	LED bulbs 1156 30SMD Led Turning light	S25-1156- 30SMD-3528- 1chips	1:Type: S25-1156-30SMD-3528-1chips 2:Socket:BA15S 3:LED quantity:30 PCS 4:LED Specification: 3528 SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars



	<p>LED bulbs 1156 7SMD Led Turning light</p>	<p>S25-1156-7SMD- 5050-3chips</p>	<p>1:Type: S25-1156-7SMD-5050-3chips 2:Socket: BA15S 3:LED quantity: 7PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 1156 6SMD Led Turning light</p>	<p>S25-1156-6SMD- 5050-3chips</p>	<p>1:Type:S25-1156-6SMD-5050-3chips 2:Socket: BA15S 3:LED quantity:6 PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 1156 3W Led Turning light</p>	<p>S25-1156-3W</p>	<p>1:Type:S25-1156-3W 2:Socket: BA15S 3:LED quantity:3 PCS 4:LED Specification: 3W high-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED Auto Lamp 7440 27SMD Led Turning light</p>	<p>T20-7440- 27SMD-5050- 3chips</p>	<p>1:Type:T20-7440-27SMD-5050-3chips 2:Socket:7440 3:LED quantity: 27PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 7440 15LED Led Turning light</p>	<p>T20-7440-15LED</p>	<p>1:Type: T20-7440-15LED 2:Socket:7440 3:LED quantity: 15PCS 4:LED Specification: F5 LED 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>

	<p>LED auto lamp 7440 13SMD Led Turning light</p>	<p>T20-7440- 13SMD-5050- 3chips</p>	<p>1:Type:T20-7440-13SMD-5050-3chips 2:Socket:7440 3:LED quantity: 13PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 3156 39SMD LED Turning light</p>	<p>T25-3156- 39SMD-3528- 1chips</p>	<p>1:Type: T25-3156-39SMD-3528-1chips 2:Socket: 3156 3:LED quantity:39 PCS 4:LED Specification:3528 SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED Auto Lamp 3156 18FLUX LED Turning light</p>	<p>T25-3156- 18FLUX</p>	<p>1:Type: T25-3156-18FLUX 2:Socket: 3156 3:LED quantity: 18PCS 4:LED Specification: FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 3156 16SMD Led Turning light</p>	<p>T25-3156- 16SMD-5050- 3chips</p>	<p>1:Type: T25-3156-16SMD-5050-3chips 2:Socket: 3156 3:LED quantity:16 PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED Auto Lamp 3156 13Flux Led Turning light</p>	<p>T25-3156- 13FLUX</p>	<p>1:Type:T25-3156-13FLUX 2:Socket:3156 3:LED quantity: 13PCS 4:LED Specification: FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>

	<p>LED auto lamp 1156 27SMD Led Turning light</p>	<p>S25-1156- 27SMD-5050- 3chips</p>	<p>1:Type:S25-1156-27SMD-5050-3chips 2:Socket:BA15S 3:LED quantity: 27PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars</p>
	<p>LED auto lamp 1156 24SMD Led Turning light</p>	<p>S25-1156- 24SMD-5050- 3chips</p>	<p>1:Type:S25-1156-24SMD-5050-3chips 2:Socket: BA15S 3:LED quantity: 24PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 1156 18SMD Led Turning light</p>	<p>S25-1156- 18SMD-5050- 3chips</p>	<p>1:Type:S25-1156-18SMD-5050-3chips 2:Socket: BA15S 3:LED quantity: 18PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 1156 18FLUX Led Turning light</p>	<p>S25-1156- 18FLUX</p>	<p>1:Type:S25-1156-18FLUX 2:Socket: BA15S 3:LED quantity: 18PCS 4:LED Specification:FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED auto lamp 1156 10FLUX+1W Led Turning light</p>	<p>S25-1156- 10FLUX+1W</p>	<p>1:Type: S25-1156-10FLUX+1W 2:Socket: BA15S 3:LED quantity:10FLUX+1W PCS 4:LED Specification:10FLUX+1W High-power 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>

	<p>LED auto lamp 1156 12LED Led Turning light</p>	<p>S25-1156-12LED</p>	<p>1:Type: S25-1156-12LED 2:Socket: BA15S 3:LED quantity: 12PCS 4:LED Specification:F5 LED 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED Auto Lamp 7440 18Flux Led Turning light</p>	<p>T20-7440- 18FLUX</p>	<p>1:Type:T20-7440-18FLUX 2:Socket: 7440 3:LED quantity: 18PCS 4:LED Specification:FLUX 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>LED bulbs 1156 13SMD Led Turning light</p>	<p>S25-1156-13SMD- 5050-3chips</p>	<p>1:Type: S25-1156-13SMD-5050-3chips 2:Socket: BA15S 3:LED quantity: 13PCS 4:LED Specification: 5050 SMD ( 3chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification:Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>3156 60SMD LED Turning light</p>	<p>T25-3156-60SMD- 3528-1chips</p>	<p>1:Type: T25-3156-60SMD-3528-1chips 2:Socket: 3156 3:LED quantity: 60PCS 4:LED Specification: 3528 SMD ( 1chips ) 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification :Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>1156 32LED Led Turning light</p>	<p>S25-1156-32LED</p>	<p>1:Type: S25-1156-32LED 2:Socket:BA15S 3:LED quantity:32 PCS 4:LED Specification: F5 LED 5:Color: all the color are available. 6:Working voltage: 12VDC / 24VDC 7:Guarantee:1 year ( used in normal condition ) 8:Terms of payment : T/T, Western Union 9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag ) 2pcs/Card (49*33.5*38cm , 500 card / case ) Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>



	<p>LED bulbs G18 5LED Led Turning light</p>	<p>G18-1156-5LED</p>	<p>1:Type: G18-1156-5LED  2:Socket:G18  3:LED quantity: 5PCS  4:LED Specification: Straw hat  5:Color: all the color are available.  6:Working voltage: 12VDC / 24VDC  7:Guarantee:1 year ( used in normal condition )  8:Terms of payment : T/T, Western Union  9:Packing Specification : Anti-Electrostatic Polybag ( 100pcs/ bag )  2pcs/Card (49*33.5*38cm , 500 card / case )  Usage:car turning light,led brake light or led tail lights, T20 type apply to Japanese cars.</p>
	<p>G4-5SMD</p>	<p>G4-5SMD-5050-3chips</p>	<p>1:Type:G4-5SMD-5050-3chips  2:Socket:G4  3:LED quantity:5 PCS  4:LED Specification: 5050 SMD ( 3chips )  5:Color: all the color are available.  6:Working voltage: 12VDC / 24VDC  7:Guarantee:1 year ( used in normal condition )  8:Terms of payment :</p>